

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	669	(query\$4) with (account) with (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 12:35
L3	165	2 and authent\$6 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 12:36
L4	23	3 and (authent\$6 near4 (device or element or unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 12:36
S1	1231	DHCP	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:07
S2	372	DHCP and (host near3 (address or id or identifier))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:12
S3	140	(DHCP and (host near3 (address or id or identifier))) and authentic\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:06
S4	50	((DHCP and (host near3 (address or id or identifier))) and authentic\$4) and Lease	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:06
S5	4	((DHCP and (host near3 (address or id or identifier))) and authentic\$4) and (renew near5 Lease)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 14:53
S6	2	issu\$4 same renew\$4 same (host near3 (address or id or identifier))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:00
S7	37	(((DHCP and (host near3 (address or id or identifier))) and authentic\$4) and Lease) and issu\$4 and renew\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:06
S8	38	(((DHCP and (host near3 (address or id or identifier))) and authentic\$4) and Lease) and (issu\$4 or assig\$4) and renew\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:02

S9	955	DHCP and ((host or IP) near3 (address or id or identifier))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:24
S10	240	(DHCP and ((host or IP) near3 (address or id or identifier))) and authentic\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:25
S11	50	(((DHCP and (host near3 (address or id or identifier))) and authentic\$4) and Lease) and Lease	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:25
S12	37	(((DHCP and (host near3 (address or id or identifier))) and authentic\$4) and Lease) and issu\$4 and renew\$4 ) and issu\$4 and renew\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:25
S13	59	((DHCP and ((host or IP) near3 (address or id or identifier))) and authentic\$4) and Lease	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:06
S14	40	(((DHCP and ((host or IP) near3 (address or id or identifier))) and authentic\$4) and Lease) and issu\$4 and renew\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:06
S15	62	DHCP near3 proxy	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:07
S16	2	(DHCP near3 proxy) and (((((DHCP and ((host or IP) near3 (address or id or identifier))) and authentic\$4) and Lease) and issu\$4 and renew\$4 ) and ((list or table or database) with ((host or IP) near3 (address or id or identifier))))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:12
S17	2	(proxy near3 (address or id or identifier)) with (relay near3 (address or id or identifier))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:13
S18	510	DHCP and ((host or MAC) near3 (address or id or identifier))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:24
S19	167	(DHCP and ((host or MAC) near3 (address or id or identifier))) and authentic\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:25

S20	52	((DHCP and ((host or MAC) near3 (address or id or identifier))) and authentic\$4) and Lease	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:25
S21	38	(((DHCP and ((host or MAC) near3 (address or id or identifier))) and authentic\$4) and Lease) and issu\$4 and renew\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:25
S22	37	(((DHCP and ((host or MAC) near3 (address or id or identifier))) and authentic\$4) and Lease) and issu\$4 and renew\$4 ) and ((list or table or database) with ((host or IP) near3 (address or id or identifier)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:29
S23	31	(((DHCP and (host near3 (address or id or identifier))) and authentic\$4) and Lease) and (issu\$4 or assig\$4) and renew\$4 ) and ((list or table or database) with (host near3 (address or id or identifier)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:27
S24	37	(((DHCP and ((host or IP) near3 (address or id or identifier))) and authentic\$4) and Lease) and issu\$4 and renew\$4 ) and ((list or table or database) with ((host or IP) near3 (address or id or identifier)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:29
S25	1	((((DHCP and ((host or MAC) near3 (address or id or identifier))) and authentic\$4) and Lease) and issu\$4 and renew\$4 ) and ((list or table or database) with ((host or IP) near3 (address or id or identifier))) and ((issu\$4 or assign\$4) near3 (address or id or identifier)) and (renew\$4 near3 (address or id or identifier))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:30
S26	1	((((DHCP and (host near3 (address or id or identifier))) and authentic\$4) and Lease) and (issu\$4 or assig\$4) and renew\$4 ) and ((list or table or database) with (host near3 (address or id or identifier))) and ((issu\$4 or assign\$4) near3 (address or id or identifier)) and (renew\$4 near3 (address or id or identifier))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 15:30

S27	1	(((((DHCP and ((host or IP) near3 (address or id or identifier))) and authentic\$4) and Lease) and issu\$4 and renew\$4 ) and ((list or table or database) with ((host or IP) near3 (address or id or identifier)))) and ((issu\$4 or assign\$4) near3 (address or id or identifier)) and (renew\$4 near3 (address or id or identifier))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 16:08
S28	1	(((((DHCP and ((host or IP) near3 (address or id or identifier))) and authentic\$4) and Lease) and issu\$4 and renew\$4 ) and ((list or table or database) with ((host or IP) near3 (address or id or identifier)))) and ((issu\$4 or allocat\$5 or assign\$4) near3 (address or id or identifier)) and (renew\$4 near3 (address or id or identifier))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/24 16:08
S29	63	(address or ID or identifier) with (allocation) with pool	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 13:54
S30	209	(address or ID or identifier) with (allocat\$4) with pool	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 13:54
S31	126	((address or ID or identifier) with (allocat\$4) with pool) and (host or IP)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 13:55
S32	97	((address or ID or identifier) with (allocat\$4) with pool) and ((address or ID or identifier) with (host or IP))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 13:57
S33	0	(((address or ID or identifier) with (allocat\$4) with pool) and ((address or ID or identifier) with (host or IP))) and ((address or ID or identifier) with (issu\$4 or assign\$4 or allocating) with (renew\$4 or refresh\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 13:57
S34	1459	((address or ID or identifier) same (issu\$4 or assign\$4 or allocating) same (renew\$4 or refresh\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 13:57
S35	255	(((address or ID or identifier) same (issu\$4 or assign\$4 or allocating) same (renew\$4 or refresh\$4))) and ((address or ID or identifier) with (host or IP))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 13:58

S36	241	((address or ID or identifier) same (issu\$4 or assign\$4 or allocating) same (renew\$4 or refresh\$4)) and ((address or ID or identifier) with (host or MAC))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 14:06
S37	143	((Media near Access near Control) or (MAC) near4 (address or ID or identifier)) with (Authoriz\$4 or authenticat\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 14:08
S38	7	(((Media near Access near Control) or (MAC) near4 (address or ID or identifier)) with (Authoriz\$4 or authenticat\$4)) and (proxy near5 (address or ID or identifier))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 11:43
S39	21	(DHCP or (dynamic near host near configuration near protocol)) near3 proxy near3 (address or ID or identifier or identification or identity)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 15:20
S40	21	((DHCP or (dynamic near host near configuration near protocol)) near3 proxy near3 (address or ID or identifier or identification or identity)) with giaddr	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 09:50
S41	21	((DHCP or (dynamic near host near configuration near protocol)) near3 proxy near3 (address or ID or identifier or identification or identity)) near3 giaddr	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 09:55
S42	0	((DHCP or (dynamic near host near configuration near protocol)) near3 proxy near3 (address or ID or identifier or identification or identity)) near3 giaddr) and (option near3 "82")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 09:55
S43	1	(DHCP or (dynamic near host near configuration near protocol)) and (option near3 "82")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:15
S44	1	(DHCP or (dynamic near host near configuration near protocol)) and (relay near agent near information near option)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 10:04
S45	0	(DHCP or (dynamic near host near configuration near protocol)) and (relay near agent near option)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 10:06

S46	0	(DHCP or (dynamic near host near configuration near protocol)) and (index\$3 near2 host near3 (address or ID or identifier or identification or identity))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 10:07
S47	0	(DHCP or (dynamic near host near configuration near protocol)) and (index\$3 near3 host near3 (address or ID or identifier or identification or identity))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 10:08
S48	19	(DHCP or (dynamic near host near configuration near protocol)) and (index\$3 near3 IP near3 (address or ID or identifier or identification or identity))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 10:08
S49	1	"6189102".pn. and giaddr	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 13:10
S50	2	"6189102".pn. and (internal near2 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 15:58
S51	1	"6189102".pn. and (issu\$4 or allocat\$4 or renew\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 14:05
S52	2	(DHCP or (dynamic near host near configuration near protocol)) with (account\$4 near3 (data or information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 15:22
S53	1	relay near2 agent near2 information near2 option	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 15:30
S54	178	option near3 "82"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 15:31
S55	0	"6189102".pn. and spoof\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 15:58
S56	0	(option near3 "82") and spoof\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/31 15:58
S57	2	"6189102".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 10:30

S58	1	"6189102".pn. and (offer)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 10:30
S59	1	relay near2 agent near2 information near2 option	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:13
S60	3	(DHCP or (dynamic near host near configuration near protocol)) with (account\$4 near3 (data or information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:13
S61	19	(DHCP or (dynamic near host near configuration near protocol)) and (index\$3 near3 IP near3 (address or ID or identifier or identification or identity))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:14
S62	1	(issue near3 address) and (renew near3 address) and (MAC near3 address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:17
S63	37	(issue\$4 near3 address) and (renew\$4 near3 address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:19
S64	19	(DHCP or (dynamic near host near configuration near protocol)) and (index\$3 near3 IP near3 (address or ID or identifier or identification or identity))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:05
S65	3	(DHCP or (dynamic near host near configuration near protocol)) with (account\$4 near3 (data or information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:05
S66	1	relay near2 agent near2 information near2 option	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:05
S67	3	(DHCP or (dynamic near host near configuration near protocol)) with (account\$4 near3 (data or information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:05
S68	19	(DHCP or (dynamic near host near configuration near protocol)) and (index\$3 near3 IP near3 (address or ID or identifier or identification or identity))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:05

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	"6189102".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:44
L3	0	2 and account	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:44
L4	669	(query\$4) with (account) with (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:48
L5	284	4 and (user near3 account)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:48
L6	143	5 and ((user near3 account) with (access or service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:50
L7	39	5 and ((user near3 account) with (access or service))	USPAT	OR	ON	2005/01/12 16:50